

Director

SPECTRUM COLLECTION FLOORING
COMMERCIAL CARPET TILE

DATA BOOK





DIRECTOR

COMMERCIAL CARPET TILE



PRODUCT TYPE	Carpet Tile	
CONSTRUCTION	Tufted Textured Patterned Loop	
PRODUCT SIZE	24" x 24"	
FIBER TYPE	Nylon	
TUFTING GAUGE	1/12"	
PRIMARY BACKING	Non-Woven Synthetic - Spec Max SD	
DYE METHOD	Solution Dyed	
PACKAGING	10.66 sq yd per carton	
INSTALLATION METHOD	Quarter Turn, Brick Ashlar, Vertical Ashlar, Multi-Directional	

PERFORMANCE SPECIFICATIONS

FLAMMABILITY	ASTM E 648 Class 1 (Glue Down)	
SMOKE DENSITY	ASTM E 662 Less than 450	
STATIC PROPENSITY	AATCC-134 Under 3.5 KV	
INDOOR AIR QUALITY	Green Label Plus Certified #1171	
NSF 140	Gold	

WARRANTIES

LIFETIME LIMITED WEAR WARRANTY

LIFETIME LIMITED STATIC PROTECTION WARRANTY

LIFETIME LIMITED EDGE REVEL, ZIPPERING, DELAMINATION & DIMENSIONAL STABILITY WARRANTY

LIFETIME LIMITED STAIN PROTECTION WARRANTY

10 YEAR COLORFASTNESS TO LIGHT & ATMOSPHERIC CONTAMINATES WARRANTY









CONSTRUCTION

PRODUCT SIZE

FIBER TYPE

TUFTING GUAGE

PRIMARY BACKING

SECONDARY BACKING

DENSITY

DYE METHOD

PACKAGING

INSTALLATION METHOD

WARRANTY

Tufted Textured Patterned Loop

24" x 24"

Performance Solution Dyed Nylon

1/12"

Non-Woven Synthetic

UltraSet Matrix®

6,923

100% Solution Dyed


10.66 sq yds per carton

Quarter Turn, Brick Ashlar, Vertical Ashlar, Multi-Directional

Limited Lifetime Wear Warranty

DIRECTOR

SPECTRUM FLOORING CARPET TILE



VERTICAL ASHLAR

