



BUNDLEADER

**SPECTRUM COLLECTION FLOORING
COMMERCIAL CARPET TILE**

DATA BOOK



BANDLEADER

COMMERCIAL CARPET TILE



PRODUCT TYPE	Carpet Tile
CONSTRUCTION	Tufted Patterned Loop
PRODUCT SIZE	24" x 24"
FIBER TYPE	Colorstrand®SD Nylon
TUFTING GAUGE	1/12"
PRIMARY BACKING	Non-Woven Synthetic
SECONDARY BACKING	UltraSet Matrix®
DENSITY	6,923
DYE METHOD	100% Solution Dyed
PACKAGING	10.66 sq yd per carton
INSTALLATION METHOD	Quarter Turn, Brick Ashlar, Vertical Ashlar, Multi-Directional

PERFORMANCE SPECIFICATIONS

FLAMMABILITY (PILL TEST)	ASTM E 648 Class 1 (Glue Down)
SMOKE DENSITY	ASTM E 662 Less than 450
STATIC PROPENSITY	AATCC-134 Under 3.5 KV
INDOOR AIR QUALITY	Green Label Plus Certified #1171
NSF 140	Gold


WARRANTIES

LIFETIME LIMITED WEAR WARRANTY
LIFETIME LIMITED STATIC PROTECTION WARRANTY
LIFETIME LIMITED CARPET TILE WARRANTY FOR WEAR
LIFETIME LIMITED COLORFASTNESS TO LIGHT WARRANTY
10 YEAR LIMITED STAIN RESISTANCE WARRANTY




WWW.SPECTRUMCOLLECTIONFLOORING.COM





CHARCOAL

BAND-BT399




CHARCOAL
BAND-BT399


CONSTRUCTION	Tufted Patterned Loop
PRODUCT SIZE	24" x 24"
FIBER TYPE	Colorstrand® SD Nylon
TUFTING GAUGE	1/12"
PRIMARY BACKING	Non-Woven Synthetic
SECONDARY BACKING	UltraSet Matrix®
DENSITY	6,923
DYE METHOD	100% Solution Dyed
PACKAGING	10.66 sq yds per carton
INSTALLATION METHOD	Quarter Turn, Brick Ashlar, Vertical Ashlar, Multi-Directional
WARRANTY	Limited Lifetime Wear Warranty

BANDLEADER


SPECTRUM FLOORING CARPET TILE




VERTICAL ASHLAR



QUARTER-TURN



BRICK ASHLAR



MULTI-DIRECTIONAL

