



# INVESTOR

**SPECTRUM COLLECTION FLOORING  
COMMERCIAL CARPET TILE**

**DATA BOOK**



# INVESTOR SOLIDS

## COMMERCIAL CARPET TILE



PRODUCT TYPE	Carpet Tile
CONSTRUCTION	Tufted Loop
PRODUCT SIZE	24" x 24"
FIBER TYPE	100% Performance Solution Dyed PET
TUFTING GAUGE	1/10"
PRIMARY BACKING	Non-Woven Synthetic
SECONDARY BACKING	UltraSet
DYE METHOD	Solution Dyed
PACKAGING	10.66 sq yd per carton
INSTALLATION METHOD	Quarter Turn, Brick Ashlar, Monolithic, Vertical Ashlar

## PERFORMANCE SPECIFICATIONS

FLAMMABILITY	ASTM E 648	Class 1 (Glue Down)
SMOKE DENSITY	ASTM E 662	Less than 450
STATIC PROPENSITY	AATCC-134	Under 3.5 KV

## WARRANTIES

10 YEAR LIMITED WEAR WARRANTY

10 YEAR LIMITED STATIC PROTECTION WARRANTY

10 YEAR LIMITED COLORFASTNESS TO ATMOSPHERIC CONTAMINATES WARRANTY

10 YEAR LIMITED STAIN PROTECTION WARRANTY

10 YEAR LIMITED COLORFASTNESS TO LIGHT WARRANTY

10 YEAR LIMITED DELAMINATION & DIMENSIONAL STABILITY WARRANTY

10 YEAR EDGE REVEL, ZIPPERING WARRANTY




[WWW.SPECTRUMCOLLECTIONFLOORING.COM](http://WWW.SPECTRUMCOLLECTIONFLOORING.COM)



TESTED BY  
ICC Global Services







NICKEL  
INV-T959



PRALINE  
INV-T748




STONE GREY  
INV-T477



BROWN  
INV-T169



CHARCOAL  
INV-T399



SLATE BLUE  
INV-T1429

# INVESTOR SOLIDS

INVE-T399




CHARCOAL  
INVE-T399


<b>PRODUCT TYPE</b>	Carpet Tile
<b>CONSTRUCTION</b>	Tufted Loop
<b>PRODUCT SIZE</b>	24" x 24"
<b>FIBER TYPE</b>	100% Performance Solution Dyed PET
<b>TUFTING GAUGE</b>	1/10"
<b>PRIMARY BACKING</b>	Non-Woven Synthetic
<b>SECONDARY BACKING</b>	UltraSet
<b>DYE METHOD</b>	100% Solution Dyed
<b>PACKAGING</b>	10.66 sq yds per carton
<b>INSTALLATION METHOD</b>	Quarter Turn, Brick Ashlar, Vertical Ashlar, Monolithic
<b>WARRANTY</b>	10 Year Limited Wear Warranty

## INVESTOR SOLIDS


SPECTRUM FLOORING CARPET TILE




VERTICAL ASHLAR



BRICK ASHLAR



QUARTER-TURN



MONOLITHIC





# INVESTOR STRIPES

## COMMERCIAL CARPET TILE



PRODUCT TYPE	Carpet Tile
CONSTRUCTION	Tufted Loop
PRODUCT SIZE	24" x 24"
FIBER TYPE	100% Performance Solution Dyed PET
TUFTING GAUGE	1/10"
PRIMARY BACKING	Non-Woven Synthetic
SECONDARY BACKING	UltraSet
DYE METHOD	Solution Dyed
PACKAGING	10.66 sq yd per carton
INSTALLATION METHOD	Quarter Turn, Brick Ashlar, Monolithic, Vertical Ashlar

## PERFORMANCE SPECIFICATIONS

FLAMMABILITY	ASTM E 648	Class 1 (Glue Down)
SMOKE DENSITY	ASTM E 662	Less than 450
STATIC PROPENSITY	AATCC-134	Under 3.5 KV

## WARRANTIES

10 YEAR LIMITED WEAR WARRANTY

10 YEAR LIMITED STATIC PROTECTION WARRANTY

10 YEAR LIMITED COLORFASTNESS TO ATMOSPHERIC CONTAMINATES WARRANTY

10 YEAR LIMITED STAIN PROTECTION WARRANTY

10 YEAR LIMITED COLORFASTNESS TO LIGHT WARRANTY

10 YEAR LIMITED DELAMINATION & DIMENSIONAL STABILITY WARRANTY

10 YEAR EDGE REVEL, ZIPPERING WARRANTY



[WWW.SPECTRUMCOLLECTIONFLOORING.COM](http://WWW.SPECTRUMCOLLECTIONFLOORING.COM)




TESTED BY  
ICC Global Services





**PRALINE**  
INV-ST748




**NICKEL**  
INV-ST959



**BROWN**  
INV-ST169



**STONE GREY**  
INV-ST477



**CHARCOAL**  
INV-ST399



**SLATE BLUE**  
INV-ST1429



# INVESTOR STRIPES


INVE-ST748




<b>PRODUCT TYPE</b>	Carpet Tile
<b>CONSTRUCTION</b>	Tufted Loop
<b>PRODUCT SIZE</b>	24" x 24"
<b>FIBER TYPE</b>	100% Performance Solution Dyed PET
<b>TUFTING GAUGE</b>	1/10"
<b>PRIMARY BACKING</b>	Non-Woven Synthetic
<b>SECONDARY BACKING</b>	UltraSet
<b>DYE METHOD</b>	100% Solution Dyed
<b>PACKAGING</b>	10.66 sq yds per carton
<b>INSTALLATION METHOD</b>	Quarter Turn, Brick Ashlar, Vertical Ashlar, Monolithic
<b>WARRANTY</b>	10 Year Limited Wear Warranty

## INVESTOR STRIPES


SPECTRUM FLOORING CARPET TILE




VERTICAL ASHLAR



BRICK ASHLAR



QUARTER-TURN



MONOLITHIC

