



INVESTOR

**SPECTRUM COLLECTION FLOORING
COMMERCIAL CARPET TILE**

DATA BOOK



INVESTOR SOLIDS

COMMERCIAL CARPET TILE



PRODUCT TYPE	Carpet Tile
CONSTRUCTION	Tufted Loop
PRODUCT SIZE	24" x 24"
FIBER TYPE	100% Performance Solution Dyed PET
TUFTING GAUGE	1/10"
PRIMARY BACKING	Non-Woven Synthetic
SECONDARY BACKING	UltraSet
DYE METHOD	Solution Dyed
PACKAGING	10.66 sq yd per carton
INSTALLATION METHOD	Quarter Turn, Brick Ashlar, Monolithic, Vertical Ashlar

PERFORMANCE SPECIFICATIONS

FLAMMABILITY	ASTM E 648	Class 1 (Glue Down)
SMOKE DENSITY	ASTM E 662	Less than 450
STATIC PROPENSITY	AATCC-134	Under 3.5 KV

WARRANTIES

10 YEAR LIMITED WEAR WARRANTY

10 YEAR LIMITED STATIC PROTECTION WARRANTY

10 YEAR LIMITED COLORFASTNESS TO ATMOSPHERIC CONTAMINATES WARRANTY

10 YEAR LIMITED STAIN PROTECTION WARRANTY

10 YEAR LIMITED COLORFASTNESS TO LIGHT WARRANTY


10 YEAR LIMITED DELAMINATION & DIMENSIONAL STABILITY WARRANTY

10 YEAR EDGE LEVEL, ZIPPERING WARRANTY



WWW.SPECTRUMCOLLECTIONFLOORING.COM





NICKEL
INV-T959



PRALINE
INV-T748



STONE GREY
INV-T477



BROWN
INV-T169




CHARCOAL
INV-T399



SLATE BLUE
INV-T1429

INVESTOR SOLIDS

INVE-T399




CHARCOAL
INVE-T399


PRODUCT TYPE	Carpet Tile
CONSTRUCTION	Tufted Loop
PRODUCT SIZE	24" x 24"
FIBER TYPE	100% Performance Solution Dyed PET
TUFTING GAUGE	1/10"
PRIMARY BACKING	Non-Woven Synthetic
SECONDARY BACKING	UltraSet
DYE METHOD	100% Solution Dyed
PACKAGING	10.66 sq yds per carton
INSTALLATION METHOD	Quarter Turn, Brick Ashlar, Vertical Ashlar, Monolithic
WARRANTY	10 Year Limited Wear Warranty

INVESTOR SOLIDS


SPECTRUM FLOORING CARPET TILE




VERTICAL ASHLAR



QUARTER-TURN



BRICK ASHLAR



MONOLITHIC



INVESTOR STRIPES

COMMERCIAL CARPET TILE



PRODUCT TYPE	Carpet Tile
CONSTRUCTION	Tufted Loop
PRODUCT SIZE	24" x 24"
FIBER TYPE	100% Performance Solution Dyed PET
TUFTING GAUGE	1/10"
PRIMARY BACKING	Non-Woven Synthetic
SECONDARY BACKING	UltraSet
DYE METHOD	Solution Dyed
PACKAGING	10.66 sq yd per carton
INSTALLATION METHOD	Quarter Turn, Brick Ashlar, Monolithic, Vertical Ashlar

PERFORMANCE SPECIFICATIONS

FLAMMABILITY	ASTM E 648	Class 1 (Glue Down)
SMOKE DENSITY	ASTM E 662	Less than 450
STATIC PROPENSITY	AATCC-134	Under 3.5 KV

WARRANTIES

10 YEAR LIMITED WEAR WARRANTY

10 YEAR LIMITED STATIC PROTECTION WARRANTY

10 YEAR LIMITED COLORFASTNESS TO ATMOSPHERIC CONTAMINATES WARRANTY

10 YEAR LIMITED STAIN PROTECTION WARRANTY

10 YEAR LIMITED COLORFASTNESS TO LIGHT WARRANTY

10 YEAR LIMITED DELAMINATION & DIMENSIONAL STABILITY WARRANTY

10 YEAR EDGE LEVEL, ZIPPERING WARRANTY




WWW.SPECTRUMCOLLECTIONFLOORING.COM



Member of
ICC Quality Services



PRALINE
INV-ST748



NICKEL
INV-ST959



BROWN
INV-ST169



STONE GREY
INV-ST477



CHARCOAL
INV-ST399



SLATE BLUE
INV-ST1429

INVESTOR STRIPES


INVE-ST748




PRODUCT TYPE	Carpet Tile
CONSTRUCTION	Tufted Loop
PRODUCT SIZE	24" x 24"
FIBER TYPE	100% Performance Solution Dyed PET
TUFTING GAUGE	1/10"
PRIMARY BACKING	Non-Woven Synthetic
SECONDARY BACKING	UltraSet
DYE METHOD	100% Solution Dyed
PACKAGING	10.66 sq yds per carton
INSTALLATION METHOD	Quarter Turn, Brick Ashlar, Vertical Ashlar, Monolithic
WARRANTY	10 Year Limited Wear Warranty

INVESTOR STRIPES


SPECTRUM FLOORING CARPET TILE




VERTICAL ASHLAR



QUARTER-TURN



BRICK ASHLAR



MONOLITHIC

